











































Dooco																							
Item	Supplier	Photo	Dooco Part Number	Motor Type		Counter Weight		Phone Weight	Total Tolerance			Standard Voltage	W18 OK (PB Free)	Starting Voltage	Load Current	Starting Current	Armature Resistance	Load Speed	Assembly Type	Electrical	Group	Project	Volume 2005(Kpcs)
				Φ	L	R	L		H	W	L												
SMT Type																							
	Dooco		DEV-1410S31	4	10.4	R2.3	4.5L		4.85	4.5	15.7	1.3	OK	1.1	100	130	10.6	9,000				V1050	
	Dooco		DEV-1410S312	4	10.4	R2.3	4.5L		4.85	4	15.7	1.3	OK	1.1	100	130	10.6	9,000				Serpens	
	Dooco		DEV-2408S32	4	8.2	R2.3	4.5L		4.4	6	13.6	2	OK	1.7	130	150	15	8,500				Razr	
	Dooco		DEV-2408S43	4	8.6	R2.3	3.5L		4.85	4.5	12.9	2	OK	1.7	130	150	15	9,500				Carina	
	Dooco		DEV-3408S44	4	8.6	R2.3	3.5L		4.85	4.5	13	3	OK	2.4	100	120	30	9,500				(Not Specified)	
	Dooco		DEV-3408S45	4	8.6	R2.3	2.7L		4.85	4.5	13	2	OK	1.7	130	150	15	11,000				(Not Specified)	
Spring Contact Type																							
	Dooco		DEV-3407B01	4	8.4	R2.5	2.8L		7.15	5	13	3	OK	2.4	95	110	32	10,500				(Not Specified)	
	Dooco		DEV-3408B03	4	8.8	R2.3	3.0L		6.05	5.1	13.3	3	OK	2.4	80	120	35	11,500				(Not Specified)	
	Dooco		DEV-2407B19	4	9	R2.3	4.5L		7.29	4.6	14.6	2	OK	1.7	140	160	15	8,500				Pebble	
	Dooco		DEV-1409B21	4	10.3	R2.0	4.5L		4.65	4.5	16.55	1.3	OK	1.1	100	140	10.5	10,000				Canary	
	Dooco		DEV-3408C01 (DEV-412C)	4	9.3	R2.5	2.8L		7	5	13.8	3	OK	2.4	90	110	35	11,500				Racetrack,Trinidad, Compaq, Calcomp	
	Dooco		DEV-3408B13	4	9.3	R2.3	4.5L		4.8	5.1	14.9	3	OK	2.4	80	120	35	8,000				(Not Specified)	
	Dooco		DEV-3407B04	4	8.1	R2.5	3.3L		5.5	5	13	3	OK	2.4	100	120	30	8,500				(Not Specified)	
	Dooco		DEV-3407DC10	4	8.9	R2.5	2.8L		5.9	5.1	12.8	3	OK	2.4	110	130	32	10,000				(Not Specified)	
	Dooco		DEV-3407DC11	4	9	R2.0	3.0L		4.8	5.1	13.0	3	OK	2.4	110	150	27	9,000MIN				(Not Specified)	
	Dooco		DEV-3407DC112	4	9	R2.5	2.8L		4.8	5.1	12.9	3	OK	2.4	110	150	27	9,000MIN				(Not Specified)	

	Dooco		DEV-3407DC113	4	9	R2.25	2.0L		4.8	5.1	12.1	3	OK	2.4	110	150	27	9.000MIN				(Not Specified)
	Dooco		DEV-1410C02	4	10.9	R2.5	6.2L		7.7	5.7	17.4	1.3	OK	1.1	90	130	10.8	7,000				E1000
Lead-wire Type																						
	Dooco		DEV-3407B07	4	7.4	R2.5	2.8L		4.7	4.7	11.25	3	OK	2.4	95	110	30	10,000				(Not Specified)
	Dooco		DEV-3407B08	4	8	R2.5	2.8L		5	5	11.9	3	OK	2.4	95	110	30	10,000				(Not Specified)
	Dooco		DEV-3407B28	4	7.7	R2.15	4.5L		4.3	6.52	12.85	3	OK	2.4	95	110	30	10,000				
	Dooco		DEV-3407B40	4	7.4	R2.5	2.4L		4.7	4.7	10	3	OK	2.4	95	110	30	10,000				(Not Specified)
	Dooco		DEV-3407B41	4	6.9	R2.2	2.8L		4.7	4.7	9.8	3	OK	2.4	95	110	30	10,000				(Not Specified)
	Dooco		DEV-3407B08-03	4	8.8	R2.5	2.8L		5.0	5.0	25.2	3	OK	2.4	120	140	30	8.000MIN				3407D07
	Dooco		DEV-3407DC22	4	8	R2.25	2.0L		5.1	5.1	43.1	3	OK	2.4	120	140	30	8.000MIN				(Not Specified)
	Dooco		DEV-3407DC221	4	8	R2.25	2.0L		5.1	5.1	26.1	3	OK	2.4	120	140	30	8.000MIN				(Not Specified)
	Dooco		DEV-3407DC222	4	8	R2.25	2.0L		5.1	5.1	31.1	3	OK	2.4	120	140	30	8.000MIN				(Not Specified)
	Dooco		DEV-3407DC21	4	8	R2.0	3.0L		5.1	5.1	44	3	OK	2.4	120	140	30	8.000MIN				(Not Specified)
	Dooco		DEV-3407DC212	4	8	R2.0	3.0L		5.1	5.1	32	3	OK	2.4	120	140	30	8.000MIN				(Not Specified)
	Dooco		DEV-3407DC213	4	8	R2.0	3.0L		5.1	5.1	25	3	OK	2.4	120	140	30	8.000MIN				(Not Specified)
	Dooco		DEV-3408D03	4	8	R2.0	3L		4	4	12.1	3	OK	2.4	95	110	30	10,000				(Not Specified)
Coin Type																						
	Dooco		DEV-1027A	10	2.7T						Φ10xT2.7	3	OK	2.3	80	-	-	12,000				(Not Specified)
	Dooco		DEFV-1027PA	10	2.7T						Φ10xT2.7	2.5	OK	2	90	-	-	14,000				(Not Specified)

Dooco		(Not Specified)	DEV-1027SA	10	2.7T					Φ10xT2.7	2.5	OK	2	90	-	-	14,000				(Not Specified)
Dooco		(Not Specified)	DEFV-1030A	10	3T					Φ10xT3.0	3	OK	2.3	80	-	-	12,000				(Not Specified)
Dooco		(Not Specified)	DEFV-1034A	10	3.4T					Φ10xT3.4	3	OK	2.3	80	-	-	12,000				(Not Specified)
Not Available (단종품)																					
Dooco		(Not Specified)	DEV-3408A-B1L1C	4	8	R2.25	2.8L		4.07	5.5	12	3		2.4	80	120	35	11,500			(Not Specified)
Dooco		(Not Specified)	DEV-3407B06	4	7.35	R2.3	2.8L		4.8	4.7	11.15	3		2.4	75	100	35	12,000			(Appeal)
Dooco		(Not Specified)	DEV-3406B45	4	7.6	R2.5	2.4L		5.2	5.2	11.5	3		2.4	95	110	30	10,000			(Not Specified)
Dooco		5987947K07	DEV-412A	4	9.8	R2.0	3.0L		4.4	6.55	13.3	1.3		1.1	85	130	10.8	11,000			GSM Sapphire
Dooco		5987947K12	DEV-R517A1	4	10.2	R2.5	6.2L		10.2	5.6	17.95	1.3		1.1	85	130	10.8	11,000			(Tarpon)
Dooco		(Not Specified)	DEV-1410B04	4	12	R2.5	4.7L		4.85	5	18.2	1.3		1.1	90	130	10.8	8,000			(Not Specified)
Dooco		(Not Specified)	DEV-3408C-R3S3B	4	9.1	R2.3	3.0L		5.6	5.1	13.1	3		2.4	80	120	35	11,500			(Not Specified)
Dooco		(Not Specified)	DEV-3408C01	4	9.8	R2.5	2.8L		7	5	13.8	3		2.4	90	110	35	11,500			(Not Specified)
Dooco		(Not Specified)	DEV-3408E03	4	8.4	R3.5	3.5L		4.8	5.9	13.7	3.6		2.8	120	150	35	9,000			(Not Specified)
Dooco		(Not Specified)	DEV-3406B42	4	6.9	R2.3	3.2L		4.4	4.1	11	3		2.4	110	130	30	9,500			(Not Specified)